

٨) $y = \frac{x+1}{5x^3 - 20x^2 + 15x - 12}$

$5x^3 - 20x^2 + 15x - 12 \mid x-1$

$\hookrightarrow (x-1)(2x-3)(5x-4)$

$\hookrightarrow (2x-3)(5x-4)$
 $\hookrightarrow \frac{3}{2} \quad \hookrightarrow \frac{4}{5}$

$D_f = \mathbb{R} - \left\{ \frac{3}{2}, \frac{4}{5}, 1 \right\}$

٩) $y = \frac{x+1}{13x^3 - x^2 - 11x - 6}$

$13x^3 - x^2 - 11x - 6 \mid x+1$

$\hookrightarrow (13x+1)(x-2)$
 $\hookrightarrow -\frac{1}{13} \quad \hookrightarrow 2$

$D_f = \mathbb{R} - \left\{ -\frac{1}{13}, -1, 2 \right\}$

١٠) $\frac{x+1}{x - \sqrt{3-2x}}$

$x - \sqrt{3-2x} \neq 0$

$x \neq \sqrt{3-2x}$

$x^2 \neq 3-2x$

$x^2 + 2x - 3 \neq 0$

$(x-1)(x+3) \neq 0$

$D_f = (-\infty, \frac{3}{2}] - \{1\}$

$3-2x \geq 0$

$2x \leq 3$

$x \leq \frac{3}{2}$

حدا بزرگ ۳/۲
و ص ۱

١١) $y = \frac{x+2}{x - \sqrt{3x-2}}$

$x - \sqrt{3x-2} \neq 0$

$x^2 \neq 3x-2$

$x^2 - 3x + 2 \neq 0$

$(x-1)(x-2) \neq 0$

$3x-2 \geq 0 \quad x \geq \frac{2}{3}$

$D_f = [\frac{2}{3}, +\infty) - \{2, 1\}$

۱۴۰۰

الف) $\frac{\sin x}{\cos x - 1}$

$\cos x - 1 \neq 0$

$\cos x \neq \frac{1}{1}$

$D_f = \mathbb{R} - \left\{ 2k\pi + \frac{\pi}{2}, 2k\pi - \frac{\pi}{2} \right\}$



ب) $\frac{\cos x + 1}{\sin x + 1}$

$\sin x + 1 \neq 0$

$\sin x \neq -\frac{1}{1}$

$D_f = \mathbb{R} - \left\{ 2k\pi + \frac{3\pi}{2}, 2k\pi + \frac{7\pi}{2} \right\}$



ج) $y = \frac{\tan x + 1}{\cot x - 1}$

$\cot x - 1 \neq 0$



$D_f = \mathbb{R} - \left\{ k\pi + \frac{\pi}{4}, k\pi + \frac{5\pi}{4} \right\}$

د) $y = \frac{\sin x + 1}{\sin^2 x - 3}$

$\sin^2 x - 3 \neq 0$



$D_f = \mathbb{R} - \left\{ k\pi + \frac{\pi}{2}, k\pi - \frac{\pi}{2} \right\}$


و. الف) $x^2 - 5x + 6 > 0$ $(x - 2)(x - 3) > 0$

$D_f = (-\infty, 2) \cup (3, +\infty)$




ب) $x^2 - 4x + 5 < 0$ $(x - 1)(x - 5) < 0$

$D_f = (1, 5)$



ج) $x^2 + 4x + 5 \geq 0$ $(x + 1)(x + 5) \geq 0$

$D_f = (-\infty, -5] \cup [-1, +\infty)$




9) $x^2 - 5x + 4 < 0$ $(x-1)(x-4) < 0$

$D_f = [1, 4]$




10) $\frac{x^2 - 4x + 7}{x - 2} < 0$ $(x-1)(x-7)$



$D_f = (-\infty, 1) \cup (7, \infty)$


11) $\frac{x^2 - 1}{x^2 - 4x + 6} \geq 0$

$(x-1)(x-5)$



$D_f = (-\infty, -1] \cup (5, +\infty)$

12) $y = \sqrt{\frac{x^2 - 5x + 4}{x^2 - 1}}$ $(x-4)(x-1)$




$D_f = [3, +\infty)$

13) $y = \sqrt{\frac{x^2 - 5x + 4}{x^2 - 1}}$

$D_f = \mathbb{R} - \{\pm 1\}$


14) $y = \log(x^2 - 4x)$ $x^2 - 4x > 0$ $x(x-4) > 0$

$D_f = (-\infty, 0) \cup (4, +\infty)$



15) $\log \frac{14-x}{|x|-2}$

$14-x > 0$ $(4-x)(4+x) > 0$ $|x| > 2$ $x > 2$ $x < -2$



$D_f = (-4, -2) \cup (2, 4)$

$\left\{ \frac{1}{x}, \frac{1}{y} \right\}$

$$f(x) = \log \frac{x^2 - v_{n+1}x}{x - v} - \frac{(x - v)(x - \epsilon)}{x - v} > 0$$

$$\begin{array}{c|c|c} \epsilon & & \\ \hline - & - & + \end{array}$$

$$x - v > 0 \quad x < 10$$

$$x - v \neq 1 \quad n \neq 9$$

$$D_f = (\epsilon, 10) - \{9\}$$

$$y = \sqrt{x^2 - 11x + 21} + \log \frac{\sqrt{x^2 - 11x + 21}}{(x - \epsilon)(x - v)}$$

$$\sqrt{x^2 - 11x + 21} > 0$$

$$x^2 - 11x + 21 > 0$$

$$\begin{array}{c|c|c} \epsilon & & v \\ \hline + & - & + \end{array}$$

$$(y - 1)(y + 2) > 0$$

$$x > 0$$

$$x \neq 1$$

$$\begin{array}{c|c|c} -4 & & 9 \\ \hline - & + & + \end{array}$$

$$D_f = (\epsilon, 10) - \{9\}$$

$$y = \frac{x^2 - 11x + 21}{x^2 - 11x + 21} = \frac{x(x - 1)}{x(x + 1)}$$

$$\begin{array}{c|c|c|c|c|c} x^2 - 11x + 21 & + & + & 0 & - & 0 & + \\ \hline x^2 - 11x + 21 & + & 0 & - & 0 & + & + \\ \hline x^2 - 11x + 21 & + & 0 & - & 0 & + & + \end{array}$$

$$\begin{array}{c|c|c} -1 & & 0 \\ \hline + & - & + \end{array}$$

$$\int \frac{x - f(x)}{f(x)}$$

$$x - f(x) = 0$$

$$x = f(x)$$

$$\begin{array}{r} -2 \quad -1 \quad 2 \quad 3 \\ \hline - \overbrace{0}^{\downarrow} + \overbrace{0}^{\downarrow} - \overbrace{0}^{\downarrow} + \overbrace{0}^{\downarrow} - \end{array}$$

9


$$(-2, -1] \cup (2, 3]$$

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1


الف) $f(x) + 1$



ب)



ج) $-f(x)$



د) $f(x+1) + 2$

