

Subject:

Year:

Month:

Date:

11, 20

Sa	Su	Mo	Tu	We	Th	Fr
----	----	----	----	----	----	----

پہا لائی

$$g: \{(-1, 1), (0, 4), (2, 0), (1, 2)\}, f(x) = \sqrt{1-x^2} \quad \text{نہ ۱}$$

$$xg - xf$$

$$f(x) \rightarrow 1-x^2 \geq 0 \rightarrow 1 \geq x^2 \rightarrow -1 \leq x \leq 1$$

$$g \rightarrow \{-1, 0, 2, 1\}$$

$$\left. \begin{array}{l} f(x) \rightarrow 1-x^2 \geq 0 \rightarrow -1 \leq x \leq 1 \\ g \rightarrow \{-1, 0, 2, 1\} \end{array} \right\} \text{نہ ۱} \rightarrow \{-1, 0, 1\}$$

$$\left. \begin{array}{ll} g(-1) = 1 & f(-1) = 0 \\ g(0) = 4 & f(0) = 1 \\ g(1) = 2 & f(1) = 0 \end{array} \right\} xg - xf = \begin{cases} \epsilon \\ \omega \\ \nu \end{cases} \quad R = \{\epsilon, \omega, \nu\}$$

$$\epsilon + \omega + \nu = 11$$

$$f(x) = x^{n-1} \rightarrow [3, +\infty) \rightarrow R = [\omega, +\infty)$$

$$g(x) = \frac{1}{x}x + 3 \rightarrow (-\infty, 3] \rightarrow R = (-\infty, \epsilon]$$

$$Rf \cup Rg = (-\infty, \epsilon] \cup [\omega, +\infty)$$

$$y = \frac{-x^2}{x} + x + 3 \rightarrow -\frac{1}{x}x^2 + x + 3$$

$$x_5 = \frac{-1}{-1} = 1, y_5 = \frac{3}{1}$$

$$y > \frac{3}{x} \rightarrow -\frac{1}{x}x^2 + x + 3 > \frac{3}{x} \rightarrow -\frac{1}{x}x^2 + x + \frac{3}{x} > 0 \rightarrow$$

$$x^2 + 4x - 3 = 0 \rightarrow \begin{cases} x = 1 \frac{x-1}{x-1} > -1 \\ x = -3 \frac{x-1}{x-1} > 3 \end{cases}$$

$$\frac{-1}{-1} + \frac{3}{-1}$$

$$-1 < x < 3 \rightarrow (-1, 3) = (a, b)$$

$$\sqrt{b-a} = \sqrt{3-(-1)} = \sqrt{4} = 2$$

GOLBARG

$$y = |x-1| + |x-3| + |2x-5|$$

$x=1 \quad x=3 \quad x=2$

-16

5

$x < 1$	$1 < x < 2$	$2 < x < 3$	$x > 3$
$-x+1-x+3$	$x-1-x+3$	$x-1-x+3+$	$x-1+x-3+2x-5$
$-2x+4$	$-2x+2$	$2x-2$	$3x-7$
$-2x+4$	$-2x+2$	$2x-2$	$3x-7$

$$x=1 \rightarrow 2+2=4$$

$$x=2 \rightarrow 1+1=2 \rightarrow \min \text{ کسین } (2)$$

$$x=3 \rightarrow 2+2=4$$


$$y = |x| - 2|x+1|$$

-2

5

$$y = \begin{cases} -x+2x+2 & ; x < -1 \\ x+2 \\ -x-2x-2=-3x-2 & ; -1 \leq x \leq 0 \\ x-2x-2=-x-2 & ; x > 0 \end{cases}$$

$$Ry = (-\infty, 13)$$



$$y = \frac{n^2 + \omega n + m}{n+1} \rightarrow \frac{n^2 + \omega n + \varepsilon - \varepsilon + m}{n+1} = n + \varepsilon + \frac{m - \varepsilon}{n+1} \quad -4$$

(1,0)

$$n^2 + \omega n + \varepsilon = (n+1)(n+\varepsilon)$$

$$n+1 = n \rightarrow n + \omega + \frac{m - \varepsilon}{n} \rightarrow n \neq 0$$

$$m - \varepsilon \leq 0 \rightarrow m \leq \varepsilon$$

$$m = \{1, 2, 3, 4\}$$

$$m = \varepsilon \rightarrow \frac{n + \omega n + \varepsilon}{n+1} = n + \varepsilon, \frac{n+1}{n+1} \text{ IR نبرد$$

-v

$$f(n) = \begin{cases} n+2 & ; n \geq 3 \rightarrow R = [\omega, +\infty) \\ n^2 - 2n + 2 & ; 0 \leq n < 3 \rightarrow \frac{b}{fa} = 1 \rightarrow R = [1, \omega) \\ |n| + 2 & ; n < 0 \rightarrow R = (0, +\infty) \end{cases} \quad \text{5}$$

$$R_f = [1, +\infty) \text{ اقبال}$$

$$f(n) = \begin{cases} n^2 + \varepsilon n + \omega & ; n \leq 0 \rightarrow \frac{b}{fa} = -2, y_s = -1 \rightarrow R = [-1, +\infty) \\ [2n] - 2n & ; n > 0 \rightarrow R = [-1, 0) \end{cases} \quad \text{5}$$

$$R_f = [-1, +\infty)$$

پہلی اسپی

-9

$$y = a + 1 - \sqrt{2n+3}$$

$$2n+3 \geq 0 \rightarrow 2n \geq -3 \rightarrow n \geq -\frac{3}{2}$$

$$D_2 \left[-\frac{3}{2}, +\infty\right) \rightarrow b = -\frac{3}{2}$$

$$\text{کوچکترین مقدار} \rightarrow n = -\frac{3}{2}, \sqrt{2n+3} = 0$$

$$\sqrt{2n+3} \geq 0 \rightarrow -\sqrt{2n+3} \leq 0 \rightarrow a+1-\sqrt{2n+3} \leq a+1 \rightarrow$$

$$f(n) \leq a+1$$

$$R = (-\infty, a+1] \rightarrow a+1 = a \rightarrow a = 1$$

$$ab = -\frac{3}{2} \times 1 = -\frac{3}{2}$$

-10

$$f(n) = 2\sqrt{n+1} + 4\sqrt{1-2n}$$

$$f(n) + g(n) = 2\sqrt{2+2\sqrt{1-2n}}$$

$$Df = Dg$$

$$\frac{f(n)}{4} - \frac{g(n)}{2} \rightarrow \frac{1}{4} \times (2\sqrt{n+1} + 4\sqrt{1-2n}) - \frac{1}{2} (2\sqrt{2+2\sqrt{1-2n}} - 2\sqrt{n+1})$$

$$-4\sqrt{1-2n} = \frac{1}{2}\sqrt{n+1} + \frac{2}{2}\sqrt{1-2n} - \sqrt{2+2\sqrt{1-2n}} + \frac{1}{2}\sqrt{n+1} + \frac{2}{2}\sqrt{1-2n}$$

$$= \sqrt{n+1} + 2\sqrt{1-2n} - \sqrt{2+2\sqrt{1-2n}}$$


$$\hookrightarrow (1-2n)(1+n)$$

$$a^2 + b^2 - 2ab \rightarrow (\sqrt{n+1} - \sqrt{2\sqrt{1-2n}})^2$$

$$f(n) + g(n) = 2\sqrt{2+2\sqrt{1-2n}} \xrightarrow{\text{S.O.S}} 2(\sqrt{1-2n} + \sqrt{1+n})^2 \xrightarrow{\text{S.O.S}} 2(\sqrt{1-2n} + \sqrt{1+n})$$

$$\rightarrow g(n) = \sqrt{1+2n} - \sqrt{1-2n}$$

$$\frac{f(n)}{4} - \frac{g(n)}{2} = \sqrt{1-2n}$$



GOLBARG